



Declaration of Performance DOP

Nr. 2015-11

1. Construction Products Type:

Doors

2. Construction Products Id.

COto 62

3. Construction Products use:

Offices, official buildings and residentials

4. The name and address for producers:

Krone Vinduer A/S Aalborgvej 570, DK

5. Name and address on the authorized person:

Carsten Lanzky Jensen Skallerupvej 484, DK-9800 Hjørring

6. The system for evaluation and control of construction products performance (AVCP):

System 3 TI

7. Notified Organisation:

Teknologisk institut DK 1235

Have performed

Control and calculation of all performances

After system

ITT, ITC Static Torsion

With certificates



8. Declaration of Performance

Relevant performance	Performance	Standards
U-Value U_w	0,89 W/m ² K	EN ISO 10077-2
Vindload	Class C3	EN 12211
Tightness	Class 4	EN 1026
Water proof	E1200	EN 1027
G Value glass	0,53	EN 410
U Value glass	0,53 W/m ² K	EN 673
Noise reduction	$R_w(C;C_{tr})$ 37(-1;-5)dB	EN 717-1
Static Torsion	1016x2144 mm	EN 1406
Climate test	Class 3	EN12219
Preopening	Class 5 100.000 times	EN12400

9. Performance for this Product series Coto 62, are in conformity with the declared in this document.

This DOP issued on responsibility for the producer as listed in point 4.

This Harmonized technical specification according to **EN 14351-1:2006 +A1:2010**

Signed for the company as authorized represent:

Carsten Lanzky Jensen, R & D engineer

Harken D 28/6-15

Carsten Lanzky Jensen

Production manager