



Declaration of Performance DOP

No. **2017-113**

1. Construction Products Id.

COto flex Fire

2. Construction Products use:

Offices, official buildings and residential outer doors

3. The name and address for producers:

Krone Vinduer A/S Aalborgvej 570

4. Name and address on the authorized person:

Carsten Lanzky Jensen Skallerupvej 484, 9800 Hjørring

5. The system for evaluation and control of construction products performance (AVCP):

System 3 Teknologisk institut

6a. Harmonized standards:

EN 14351-1:2006+A1:2010 and EN 13501-2:2016

6a. Notified Organization:

Teknologisk institut DK 1235 DBI

7.

Control and calculation of all specified performance

ITC, Static Torsion, tightness

With certificates



8. Deklaration of Performance

Relevant performance	Performance	Standards
EN 14351-1:2006 System 3		
U-Value U_w	1,2 W/m ² K	EN ISO 10077-2
Tightness	Class 4 at 600 Pa	EN 1026
G Value Glass	0,52	EN 410
U Value Glass	0,70 W/m ² K	EN 673
Noise reduction	41(-2,-6) dB	EN 717-1
EN 13501-2:2016		
Resistance to fire outside	EI30/EW30	EN 1364-1:2015
Resistance to fire inside	EI60/EW60	EN 1364-1:2015

9.

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

This Harmonized technical specification according to

EN 14351-1:2006 +A1:2010

and EN 13501-2:2016

Sign for the company as authorized represent:

Carsten Lanzky Jensen R & D ingeniør

Harken D 30/8-17

Carsten Lanzky Jensen

Product and Factory manager